



Class of Sedentia of craccants —  
Of blood letting — What is the reason that  
Cold sweat break out in the turn of Syco-  
pe when the blood recedes from the sur-  
face; In plury governed by respira-  
tion rather than the pulse and like-  
wise in Inflammation of the Intestines —  
What ought to attend to the Acute &  
Chronic remedies — bleeding in Inter-  
mittent not so much as in Per-  
mittent And more so in Continues —  
We relieve the local pain & the genera-  
lized symptoms diminished

4 Gangrene prevented &c 5 We  
prevent drops of lungs, Ulcers &c

7 We restore the parts

Capping, leeching, scarifying &c very neces-  
sary in Ophthalmia &c  
Inflammation <sup>of the brain</sup> require free & frequent use  
of the lancet — Mania is said to  
require blood letting — Dysmenchæse  
&c require the craccants by bleeding  
&c — of the Menses &c



of bleeding - which is very necessary  
in Pneumonia; when cough is  
and this must be very large, and  
in this disease you find the pulse  
small by the difficulty of breathing  
and it will rise by bleeding  
in case of Pulmonary Consumption some  
times require it and in the last stage  
it may act as an Anodyne &c

In every case of Pleuritis will require  
the lancet and according to certain  
stances - Gout frequently requires  
it - We must relieve the immediate  
symptoms in all cases &c

Bleeding in Hemoptesis &c

Draw blood from the same ~~side~~ side  
that is affected by Pleurisy

Expectoratis bleeding is sometimes frequent  
and frequently &c In piles bleed  
letting or leeching is required -

Hematemesis or vomiting for blood  
from the stomach, the pulse is  
here to be resorted -

In a popliteal aneurysm depend on blood  
letting, standing better than lying  
down in bleeders and we are glad to  
make a large orifice, Cautery  
&c may be resorted to when we have  
done bleeding or cannot &c

It is said that blood letting has  
been ineffectual in Tetanus and  
Hydrophobia but this is no ar-  
gument why it may not be  
nothing more injurious than to  
allow the patient of Hydropho-  
bia to swallow, but in blood letting  
copiously &c and this is to be done  
at a time as in all other diseases.  
bloodletting required in Muscular  
Contraction & in cases of Laxation  
&c No one unbigly equal to  
blood letting in the number of dis-  
eases that require its use &c  
arising in the beginning of typhus  
fever and its different forms &c  
Certain Cases of fever it is forbidden  
attend to the state of system &c  
at the closing a Puerperas bleeding  
not good &c, In punctured wounds  
Quins &c are to be carefully bled  
ing especially warm weather  
dime deathly after suppuration be-  
are to be careful for person do  
not bear blood letting as well as  
lean ones

Cupping a local blood letting &c  
very good in gout Rheumatism  
&c

Leeching a local blood letting &c  
may be made use of where  
cupping cannot be applied as the  
largest joints eye ear &c in piles  
they are of great use &c  
A middle sized leech will draw  
off about  $\frac{1}{4}$  oz of blood &c

Leeching in being swallowed occasions  
great hemorrhage in the stomach.

The leech will let go by drinking  
Salt water &c Infant bear

this operation as well as adults  
When you have no cupping glasses at

hand take wine glasses &c  
2<sup>nd</sup> Order of emetics

of which in small doses prove  
a tonic, as white vitriol in  $\frac{1}{4}$  oz  
&c: 2 or 3 gr Epsom a purgative.

Something occasioned by tickling the  
fauces &c Sea voyage &c in these

with a feather in case of poison be-  
ing taken into stomach &c Vom-  
iting an inversion of the stomach &c

Sometimes of the intestinal tube and  
thereby causes the discharge of bile &c

I am pers. that it is a natural remedy



It that days is a certain kind  
of grass to relieve the stomach  
e.g. — In Ulcer Hemorrhage bleed-  
ing local &c are found of service  
Emetics — Found of very great ser-  
vice in the above disease &c  
Dropsy have been benefited by  
vomiting — Diabetes vomiting very  
good &c —  
Bites of venomous animals served  
by emetics — Dissentary of a Bil-  
ious nature to be treated by Emetics  
ing. bleeding Emetics sometimes  
Diarrhoea we ought to clear  
the alimentary Canal &c  
Emetics of service in Dyspepsia  
The small doses of Ipecacuanha  
in 1/4 or 1/2 grain. orders to pro-  
duce nausea — after the gastric  
is restored we go to the cold bath  
Emetics has been said to be good  
in Pleurisy & Abscess &c —  
Emetics among the most impor-  
tant articles for  
When there is plethora begun by  
bleeding if case urgent Canxi

doe, 3 Common Cases give  
them divided  
When ~~it~~ they shall have to be  
slent and effect or too much  
be taken. The re to give lae  
Nausea &c

When hemorrhage is produced  
by emetics they are not to  
be given or when they produce  
spasm — Not be given  
in advanced pregnancy and  
some say during menstruation  
Chronic Diseases cured by Chronic  
Remedies &c. Caution the  
doses according to circumstan-  
ces, when too much have be-  
taken take small portion of  
opium spirits or fomentations  
of brandy &c. Drinks after  
emetical of ~~best~~ children less  
than adults — Lay the  
muscles by tying a handker-  
chief around the abdomen and  
in spasm of the legs after draw-  
ing warm water — salt Oil ho-  
ney & butter &c which a com-  
mon practice among some

Vegetable Emetics the  
the best is Epecac. nana  
Brown is the best green  
& red dose from  $\frac{1}{2}$  dr  
to  $\frac{3}{4}$  A very useful medi-  
cine but not known proper-  
ly - The best remedy for  
Vertigo or bloody flux &c  
the best Emetics in the Mat.  
Medica dose  $\frac{3}{4}$ ss - By Ma-  
gnae we are told that any  
kind is different in its nature  
and effect - from 3 to 5 grains of  
good Epecac is found vomit.  
Epecac. nana combined with Opium is  
one of our best Sudorifics and used  
in and is mild in its effects &c  
and is used in Dysentery, di pro du-  
ces Articular Action is best in  
small doses as 2. or 3 grs in  
5 or 6 hours &c Dr Baston gave  
 $\frac{1}{2}$  gr. Epecac  $\frac{1}{2}$  gr Opium <sup>preparat</sup> with  
Chalk - Some recommend the  
decoction of bark in piles  
Diarrhea 2. or 3 grs of Epecac in  
the morning before rising and the



An Anodyne in the Evening  
May be safely given even to children  
Much employed in febrile Diseases  
with Nitric about a ʒr - In the  
Commencement of Typhus. In Infla-  
matory it is useful as Dover's  
powder. In Pleurisy pulmonary is  
very useful - In Asthma - the  
Smell has brought on a Catarrh, In  
dropsy it has been given, Not so good  
for persons as some other Emetics as  
for instance of much Opium being  
swallowed - The *Spica Trifoliata*  
an American plant next to  
*Spica cuana* - The greatest quality  
is in the bark Wood about double  
to *Spicae* - for 25 to 30 grs  
*Arctostaphylos* -

The Squill are of 27 species and  
often mistaken. *Albugo Atropurpurea*  
The Nuxom may be mistaken for  
it. The Sea Onion also mistaken  
Often used as an Expectant and Nausea  
2 or 3 grs a dose for the purpose  
Vinegar

Of the Mineral Emetics.

Of Antimony one of the most useful  
medicines, those in common use are  
Sulphur not much used or Man-  
trimonial useful in Intermitting &c  
The preparations ~~of~~ of Antimony are ve-  
ry numerous - The Sarsaparilla powder  
very useful - there are nine Minerals  
Oxide of Antimony - Sulphate  
rate & Tartarized Antimony  
Tartar Emetic An Antimonial  
preparation, some prefer the Sulphate  
of Antimony - Antimonial Wine Dose  
from 1 to 3 grs &c

Of Copper &c

Sulphate of Lime &c

White Vitriol in Combination Rock

Alum by all our employed as an  
Emetic &c

Sub Sulphate Mercury of a dark  
grey colour and is rarely employ-  
ed as an active vomiting dose 5 grs  
Corrosive Sublimate to dangerous for  
Children, Principally confined to Tartar  
Emetics and Emetics &c



Cathartics those that increase the  
number of stool, the substance con-  
tained in the stomach and intestines  
are those left after absorption &c  
of laxative and purgatives which are  
of different doses &c

Taste & smell have sometimes pyro-  
des purging under circumstances

Sometimes produce nausea and vom-  
iting and afterwards purging &c

Thunder the first meal in the morning  
act frequently as a purgative &c

In diseases of the head and skin are  
often relieved by a laxative

Substomach taken in the stomach  
are discharged about the third day

If health is often enjoyed when a person  
habituated a squally no more than  
once in 3, 4 or 5 days

External heat often produces cor-  
tiveness and may as generally occur

in summer Cold may have  
dict as a diuretic

A gentle salivation has often cured  
a habitual cortiveness, especial-  
ly in cases of an affected bite

Purgatives necessary in Intermit-  
tent Typhus in the Continuance but not  
to be used during, also in Eruptions of

the skin - In Erysipilis we are much  
to purging, bleeding, blistering, cold in-  
curious &c some have recommended &c  
In scarlatina the ears are sometimes  
very much affected in this case apply  
a blister behind the ear &c

Rheumatism purging very necessary  
Gout likewise purging well to keep off  
severe attacks

Very useful in small affections of the  
lungs &c In Epilepsy - In Hy-  
drocephalus to be treated by this reme-  
dy especially early in the disease.

In Mania we use cathartics

also in Melancolia - Coriaria

we also use In Hydrocephalus

of the brain of head ach & purgation

of the inoculation for measles by Horn

which have been accomplished by which no

affection of the breast remained but

fever, exanthema, sneezing and Cough follow-

ed &c

Of purgation is useful in Hysteria

Dr. Meunier maintained that Hysteria was gout

which is very probable &c

Also of Tetanus said to be useful &c

but we believe the Antispasmodic practice

also Tobacco is very good - It is believed

Dr. Core that all diseases have their

rise and achina and if we can sus-  
tain the patient untill this ach-



It may be easily cured &c  
Also in Dropsy purgatives are very  
useful and best such as evacuate water  
and sometimes Mercury required &c  
Green Sickness also require also called  
Chlorosis attention to diet &c

It has also been recommended in a hemor-  
rhage of blood from different parts by the  
flow being stopped —

Likewise in Children in fever when  
they have been ill fed &c —

All together we consider purgatives of  
the greater use &c Laxation is  
often followed by not attending to the call  
of nature — Constipation is believed  
to be the cause of most Chronic diseases  
and the medicine is the

Sulphate of Potash in 2 or 3 grs 2 or 3  
times a week some use Mineral  
~~water~~ water whose efficacy we can say  
little, but we believe much is due to this  
efficacy in visiting the spring is the Chaly-  
beate, habit, diet &c and much may  
be derived in Chronic Complaints  
of Cathartic Milder and Reviver or  
Purgative of the Vegetable is  
Manna is of a Tree of the species of  
the Ash - the best flake Manna <sup>other</sup>  
Manna in Sorts &c is one of the  
Mildest &c

Mannia a species of Mannan  
Linnæa in some part to Sugar  
Mannan One of the safest purga-  
tive but principally combined with  
Linnæa of dose of Mannan 1 or 2 oz  
Sometimes combined with Rhubarb  
Extract from the bark of Bitternut  
with Calomel better for the back of  
the root dose from 10 to 15 grs the  
purgative effect is increased by all  
Aging small portion of Calomel &  
Many Apple resembles Sulphur in its  
effects dose from 10 to 40 grs the  
root to Olive Oil or Castor Oil all  
of safest and mild Cathartics  
And a few remarks for Children & young  
thing where purgatives are required in a  
dose of about 10 or 15 grains for an adult  
A weak person not too much for a  
Laxative at both - Oleum Prunum  
2 or 3 Coats

3 or 4 of Gum Arabic 6 or 8 Sugar with  
Water, both Laudanum it is a very  
useful remedy  
Malted butters said to be a good Lax-  
ative Combined generally with Lin-  
næa  
Castor Oil is a safe and good pur-  
gative similar to Castor Oil  
from a tree the size of a Pear



Free Active Cathartic in Any  
Doses About half a drop produces a  
but 6 evacuations or above one drop  
And is often adulterated with Olive Oil  
Some in this City have found it good  
They also require the dose of one drop  
or taken in proportion with Castor  
Oil or Anapocrita &c

Senna leaf of a shrub about  
3 feet in height and of 3 different kinds  
but much of the same quality but  
those of a middle appearance  
not too large also best when given  
in Cold infusion, boiling is said  
by some destroy its purgative effect  
Dose in powder  $\text{ʒij}$  to  $\text{ʒij}$  &c  
In Infusion give  $\text{ʒij}$  in 1 pt. boi-  
ing water to prevent griping give  
it with marmalade, sugar &c but  
liquorice about an Inch in length  
put it in the tea to prevent griping  
And the very best of all purgatives  
we now know of &c I give the  
leaves from  $\frac{1}{2}$   $\text{ʒ}$  or  $\frac{1}{3}$  in pint of boi-  
ing take care of it and the <sup>in</sup> 3 hours  
if necessary or in smaller quantities  
sometimes used in hernia

Similar to this is the *Cassia Marilandica*  
of our country and would be a substitute  
Rhubarb - dose from 10 to 15 grs  
with 5 or 10 grs of Calomel (in Dis-  
sipria cases) considered of equal  
use with some other - Also in  
Diarrhea - Rubarb said sometimes  
to act as an Anodyne -  
In Gout said to be very good -  
Rhubarb a remedy for children

2 ℥ Rubarb  
2 ℥ Magnesia } or Modified as may  
1 ℥ White Sugar } be required, this  
dissolve in water } for children

Spiced Rhubarb of the same very  
much as the above &c  
The above very good for Lammur  
plaints in Children

Roasting it too much it becomes like  
Charcoal and even the Charcoal  
is found to be a very good Medi-  
cine for Children - Rhubarb  
is sometimes infested with a small  
worm which will powder or des-  
troy it  
One of the most useful Medicines  
we know of &c



Salap. & Crematostomum  
little ment is a common prepa-  
tion - also with Rhabarb-  
Scapine

Aloes large quantities are brought  
from the Cape of Good Hope  
Aloes is of a bitter and aromatic smell  
resembles Myrrh. Dose from 2 grs  
to 30 grs But a great many dif-  
ferent forms in the Dispensary  
Aloes passes through with an irri-  
tation of the small intestine  
it seem to act as a stimulant to  
the muscles the best laxative  
for females is Aloes and Asafetida  
perhaps better with Croton Bala-  
ca according to Circumstan-  
ces. Aloes take about 12 or 15  
hours before it will act - or  
it may be a good laxative to pre-  
vent habitual Constipation

Camel-oil it is obtained from a tree  
in ~~Siam~~ brought to us in large bottles  
it is apt to vomit in doses of 6 to 8 grs  
it must be given in small and repeated  
doses. Useful in tape worm Gout  
And especially in Dropsy Abscesses  
low Fever &c not so much employed  
now as formerly

*Colicynth or Bitter Apple*

A Plant of Turkey the fruit is the only part used as medicine or汁 of the fruit one of the Oldest Cathartics of the Dispensary in doses of 10 or 12 grs it produces gripes &c. Has been used Apoplexy Letheargy &c. It has been produced evacuations in Children by applying it to the Navel &c. and must be carefully employed &c.

*Elaterium or Squinting Cucumber*

A plant creeping on the ground like the Cucumber fruit is the only part medicinally employed one the most powerful Cathartic we have gone in doses of 1/2 or 1 gr given every hour until it acts. It ought not to be employed when the can be used &c.

*Heleborus Niger*, the root of which is the part employed in Medicine other plants have been mistaken for plant, it was formerly much esteemed, root rough knotted and black brown or much by keeping some from 10 to 15 grs but depending much whether very dry or not



Calomel &c

Sulphur

Some recommend it. Rheumatism  
flow about a drachm in Molasses  
the rolled brimstone taken in the  
hand is said to have a good effect  
in Cramp.

Magnesia or Carbonate of Magnesia  
and Calcareous Magnesia they  
near the same in appearance.

Carbonate the most powerful both  
laxative or Cathartic. It is combin-  
ed with Cream tartar & it is used  
as a corrector of acidity. Calcareous  
not so frequently employed &c

Neutral Salts a Combination of  
different Alkalis, and Saline  
Cathartic

Sulphate of Potash

Sulphate of Magnesia or Epsom  
Salts will often remain on the  
stomach when no other does.  
Glauber Salts or Sulphate of Soda  
one or two drachms as a dose

given with Vinegar, Water &c  
often given in febrile Diseases in  
divided doses of about 8 parts


Prochelus Salt &c


Cream Tartar in jelly or Molasses

and often given with


Much the same as Tartrate Potas
































































MSS 2/0213-01

Acc. 1991-086-01